



PRODUCTOS
ENTREGA INMEDIATA
PREGUNTA POR
STOCK DISPONIBLE



<https://primerplano.com.mx/engineered-floors/>

A modern office interior featuring a dark grey cable tile floor. The room has white walls, a white door, and three square pendant lights. Two beige armchairs are positioned against the wall, and a potted plant is visible on the left. A glass partition is on the right side of the frame.

CABLED TILE

DATA LINK

<https://primerplano.com.mx/engineered-floors/>



COLECCIÓN CABLED TILE

7082T



2972

DATA LINK

24X24



2973

CONNECTION

24X24

D

E

L

B

A

C

 PRIMER
PLANO

 Pentz
COMMERCIAL FLOORING SOLUTIONS



Cabled Tile| 7082T

Modular


Product Specifications

Construction	Textured loop
Backing	Nexus® Modular
Dye Method	Solution dyed
Fiber Type	100% Apex SDP
Fiber Weight	15 oz.
Pile Density	8627
Product Size	24X24
Gauge	1/10
TARR	4.0

Specifications & Tests

Indoor Air Quality	GLP2526
Pill Test	Passes
Flooring Radiant	Class 1 (ASTM E-648)
Panel	
Smoke Density	Less Than 450 (ASTM E-662))
Static Test	Less Than 3.5 kv (AATCC-134)
Lightfastness	Passes

Colorways



Installation Methods

Installation Methods	Ashlar, Quarter Turn, Brick, Monolithic
----------------------	---

Warranties

10-Year performance for wear
Lifetime fiber performance for static
Lifetime stain removal
Lifetime colorfastness to light and atmospheric contaminants
Lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)
Lifetime against delamination
Lifetime Nexus modular dimensional stability




HYPNOTIC TRANCE

<https://primerplano.com.mx/engineered-floors/>



COLECCIÓN HYPNOTIC

7910T



3464

TRANCE

24X24



HYPNOTIC




UPLINK
PEWTER



COLECCIÓN UPLINK


7050T



3120

SHADOW

24X24



3125

PEWTER

24X24

K
N
I
L
P
D

 **PRIMER
PLANO**


Pentz
COMMERCIAL FLOORING SOLUTIONS

<https://primerplano.com.mx/engineered-floors/>

Uplink | 7050T

Modular

Product Specifications

Construction	Textured Loop
Backing	Nexus® Modular
Dye Method	Solution dyed
Fiber Type	Apex SDP® Polyester
Fiber Weight	15 oz.
Pile Density	5133
Product Size	24X24
Gauge	1/10
TARR	3.0



Colorways



Specifications & Tests

Indoor Air Quality	GLP2526
Pill Test	Passes
Flooring Radiant Panel	Class 1 (ASTM E-648)
Smoke Density	Less Than 450 (ASTM E-662))
Static Test	Less Than 3.5 kv (AATCC-134)
Lightfastness	Passes

Installation Methods

Installation Methods	Ashlar, Quarter Turn, Brick, Monolithic, Non-Directional
----------------------	--

Warranties

Lifetime Nexus® modular dimensional stability
Lifetime performance for wear
Lifetime fiber performance for static
Lifetime stain removal
Lifetime colorfastness to light and atmospheric contaminants
Lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)
Lifetime against delamination



INFLUENCER SOCIAL MEDIA



COLECCIÓN INFLUENCER

7095T



53256

SOCIAL MEDIA

24X24

ÚLTIMAS PIEZAS DISPONIBLES

<https://primerplano.com.mx/engineered-floors/>

ENGINEERED FLOORS



Influencer | 7095T

Modular


Product Specifications

Construction	Patterned loop
Backing	Nexus® Modular
Dye Method	Solution dyed
Fiber Type	Apex SDP® Polyester
Fiber Weight	15 oz.
Pile Density	6662
Product Size	24X24
Gauge	1/12
TARR	3.0


Specifications & Tests

Indoor Air Quality	GLP2526
Pill Test	Passes
Flooring Radiant Panel	Class I (ASTM E-648)
Smoke Density	Less Than 450 (ASTM E-662))
Static Test	Less Than 3.5 kv (AATCC-134)
Lightfastness	Passes


Colorways



3248 3249 3250 3251



3252 3253 3254 3255



3256 3257

Installation Methods

Installation Methods	Ashlar, Brick, Quarter Turn, Monolithic, Non- Directional
----------------------	---

Warranties

Lifetime	Nexus® modular dimensional stability
Lifetime	performance for wear
Lifetime	fiber performance for static
Lifetime	stain removal
Lifetime	colorfastness to light and atmospheric contaminants
Lifetime	for tuft bind strength (edge ravel, yarn pulls, zippering)
Lifetime	against delamination



CONTACTÁNOS

<https://primerplano.com.mx/engineered-floors/>



PRIMER PLANO-Eliot Ochoa

proyectos@primerplano.com.mx

atencionaclientes@primerplano.com.mx



55 7708 1379 WhatsApp: 55 3919 1773



Ciudad de México · Monterrey · Querétaro

